


Brass Gate Valve

Model: SD-9102

The SD-9102 gate valve manufactured as per international standards. It can be used for heating plants, sanitary systems, plumbing services & waterworks.



Product Specifications:

Working Pressure	PN16
Working Temperature	-5°C - 85°C
Thread	BS 21 (B.S.P.T.)
Approvals/Listings	WRAS Water Regulations Advisory Scheme

Brass Gate Valve

Product Dimensions:


Brass Gate Valve NRS

DN	L	N	D	H	A
15	43	12	13	73	54
20	47	13	15	76	54
25	49	13	20	85	58
32	59	17	25	98	72
40	63	17	35	117	72
50	68	18	44	137	78

NOTE: Dimensions are in mm

Drawing Specification

No.	Part	Material
1	Hand-Wheel Nut	Steel
2	Name Plate	Aluminium
3	Hand-Wheel	Cast Iron
4	Stem	Brass
5	Packing Nut	Brass
6	Gland	Brass
7	Packing	PTFE
8	Bonnet	Brass
9	Locknut	Brass
10	Gasket	PTFE
11	Wedge Disc	Brass
12	Body	Brass



Bronze Gate Valve

Miscellaneous Data:

1. Ordering Information

Example: SD-9102-20

- SD-9102 is the part number
- (20) Size

2. Contact Information

For further information on any aspect of the SHIELD Valves products please contact below:

MIDDLE EAST & AFRICA	UNITED KINGDOM
Jebel Ali Free Zone, Dubai, UAE P.O Box: 61199 Tel.: +971 4 881 2070 Fax: +971 4 881 2198 Email: shieldme@shielglobal.com	Unit 3, Endeavor Drive, Basildon-Essex, SS3 14WF Tel.: +44 1708 377731 Fax: +44 1708347637 Email: shielduk@shielglobal.com