

Bronze Lock Shield Gate Valve

Model: SD-970 BSL

The SD-970 BSL gate valve is manufactured to BS 5154 which can be used for heating plants, sanitary systems, plumbing services, waterworks, pneumatic systems and steam. Lock shield gate valve used to restrict unauthorised adjustments.



Product Specifications:

Working Pressure	PN20
Working Temperature	-10°C - 170°C
Thread	BS 21 (B.S.P.T.)

Bronze Lock Shield Gate Valve

Product Dimensions:


Bronze Gate Valve with Lock Shield

DN	L	H
15	43	78
20	49	86
25	54	105
32	62	116
40	65	133
50	75	155

NOTE: Dimensions are in mm

Drawing Specification

No.	Part	Material
1	Lock Shield	Brass
2	Stem	DZR Brass
3	Clamping	Brass
4	Packing	PTFE
5	Stem Bush	DZR Brass
6	Bonnet	Bronze
7	Disc	Bronze
8	Body	Bronze



Bronze Lock Shield Gate Valve

Miscellaneous Data:

1. Ordering Information

Example: SD-970BSL-20

- SD-970BSL is the part number
- (20) Size

2. Contact Information

For further information on any aspect of the SHIELD Valves products please contact below:

MIDDLE EAST & AFRICA	UNITED KINGDOM
Jebel Ali Free Zone, Dubai, UAE P.O Box: 61199 Tel.: +971 4 881 2070 Fax: +971 4 881 2198 Email: shieldme@shielglobal.com	Unit 3, Endeavor Drive, Basildon-Essex, SS3 14WF Tel.: +44 1708 377731 Fax: +44 1708347637 Email: shielduk@shielglobal.com