


Bronze Rising Stem Gate Valve

Model: SD-GGV20 RS

The SD-GGV20 RS gate valve is manufactured to BS 5154 which can be used for heating plants, sanitary systems, plumbing services, waterworks, pneumatic systems and steam.



Product Specifications:

Working Pressure	PN20
Working Temperature	-10°C - 170°C
Thread	BS 21 (B.S.P.T.)

Bronze Rising Stem Gate Valve

Product Dimensions:


Bronze Rising Stem Gate Valve

DN	L	H	ØD
15	43	112	55
20	49	125	63
25	54	143	70
32	62	170	70
40	65	198	80
50	75	233	90

NOTE: Dimensions are in mm

Drawing Specification

No.	Part	Material
1	Nut	Brass
2	Name Plate	Aluminium
3	Hand-Wheel	Aluminium
4	Stem	DZR Brass
5	Packing Nut	Brass
6	Stem Bush	DZR Brass
7	Packing	PTFE
8	Bonnet	Bronze
9	Body	Bronze
10	Disc	Bronze



Bronze Rising Stem Gate Valve

Miscellaneous Data:

1. Ordering Information

Example: SD-GGV20RS-20

- SD-GGV20RS is the part number
- (20) Size

2. Contact Information

For further information on any aspect of the SHIELD Valves products please contact below:

MIDDLE EAST & AFRICA	UNITED KINGDOM
Jebel Ali Free Zone, Dubai, UAE P.O Box: 61199 Tel.: +971 4 881 2070 Fax: +971 4 881 2198 Email: shieldme@shielglobal.com	Unit 3, Endeavor Drive, Basildon-Essex, SS3 14WF Tel.: +44 1708 377731 Fax: +44 1708347637 Email: shielduk@shielglobal.com